



# vista

## Railing Systems

Style & Simplicity



ALUMINUM | CABLE | GLASS

# vista

style & simplicity

Since 1974, Vista Railing Systems Inc., has been a market leader in premium exterior railing systems.

At VISTA, we believe our railings create amazing spaces that inspire people to connect. Whether it is a backyard get together with friends, just the two of you sipping a fresh cup of coffee on an early morning or a birthday party for your children, our railings create the perfect space. Through design-forward thinking that embraces simplicity, our stylish railings can be enjoyed with every home.

VISTA designs, engineers, tests and manufactures premium quality railings in aluminum, glass, cable and mixed materials... all through the lens of style and simplicity.

If you want amazing... try our railing.

## Contents

|                                  |       |
|----------------------------------|-------|
| Table of Contents                | 2     |
| Vista Planner Project Software   | 3     |
| Product Showcase - Stair Railing | 4     |
| Aluminum Railing Styles          | 5     |
| Cable Railing Systems            | 6-11  |
| Picket Railing Systems           | 12-15 |
| Glass Railing Systems            | 16-21 |
| Aluminum Railing Accessories     | 22    |
| Privacy Fence                    | 23    |
| Contact                          | 24    |



We always strive to improve our products. Look for the starburst to see what's new.

*We'd also like to send out a special "thank you" to everyone who allowed us to use their photos in this catalog.*

# vista


 style & simplicity

## VISTA PLANNER MINIMIZE YOUR WASTE & OPTIMIZE YOUR RAILING PROJECT!

### Evolutionary Path from Concept to Completion

1. Draw out your vision
2. Input into VISTA Planner or email us
3. A computerized drawing is created
4. An optimized list of materials is generated
5. Provides an installation cut list per section
6. Generates an infill placement document for accuracy


To access VISTA Planner or request assistance, contact us at [sales@vistarailings.com](mailto:sales@vistarailings.com)



Starts with a Project Drawing



## ALUMINUM STAIR RAILING



✔ **No Secondary Handrail Required**

Create a better looking project because VISTA stair railing meets the graspable and continuous requirement.

✔ **Long Runs**

The mid stair post allows you to create sections longer than 8' while still having a continuous, graspable stair system.

✔ **Clean Connection**

No bulky brackets needed to attach the stair rails to the stair posts.

✔ **Easy Installation**

Simply slide the top and bottom rails into the pre-manufactured slots. No attachment of swiveling brackets needed.

✔ **Installation Flexibility**

Pre-slotted post design provides a wide range of stair angles.

## RAILING STYLES


Cable System (pages 8-9)



Cable Infill and Kits (page 11)



Regular and Wide Pickets (pages 14-15)



Framed Glass (pages 18-19)



Frameless Glass (pages 20-21)




Privacy Fence (page 23)



Textured Black (XB)    Textured Grey (TG)    Gloss White (WT)    Textured Bronze (YB)





These are the standard color options. Some products are special order in certain colors.



For more information scan here

ALUMINUM CABLE RAILING SYSTEMS















ALUMINUM CABLE RAILING SYSTEMS















36" = 9 Cable Strands | 42" = 11 Cable Strands | Stairs = 7 Cable Strands

Posts in drawings are at a 36" height

|   |  |  |   |
|---|--|--|---|
|  <p>2 1/2" End Post<br/>36" - PB7864<br/>42" - PB7868</p>                                    |  <p>2 1/2" 90°<br/>Corner Post<br/>36" - PB7865<br/>42" - PB7869</p>                          |  <p>2 1/2" Mid Post<br/>36" - PB7866<br/>42" - PB7870</p>                             |  <p>2" Mid<br/>Stair Post<br/>(splice hardware<br/>included)<br/>PB5834</p>                  |
|  <p>2 1/2" Top Stair<br/>Post (left side face)<br/>36" - PB5821<br/>42" - PB5830</p>         |  <p>2 1/2" Top Stair<br/>Post (right<br/>side face)<br/>36" - PB5822<br/>42" - PB5831</p>     |  <p>2 1/2" Top Stair<br/>Post (stair face only)<br/>36" - PB5824<br/>42" - PB5833</p> |  <p>2" Top Stair Post<br/>(opposite side face)<br/>36" - PB5823<br/>42" - PB5832</p>         |
|  <p>2 1/2" Bottom<br/>Stair Post<br/>(left side face)<br/>36" - PB5825<br/>42" - PB5837</p> |  <p>2 1/2" Bottom<br/>Stair Post<br/>(right side face)<br/>36" - PB5826<br/>42" - PB5838</p> |  <p>2 1/2" Bottom<br/>Stair Post<br/>(stair face only)<br/>PB5835</p>                |  <p>2" Bottom<br/>Stair Post<br/>(opposite side face)<br/>36" - PB5827<br/>42" - PB5836</p> |

To determine stair post needed, look from the bottom of the stairs up, the side in which the level rail connects to the post is the post face required.

|   |   |   |   |
|---|---|---|---|
|  <p>Pre-drilled Intermediate<br/>Level Spacer Picket<br/>36" - PB7845<br/>42" - PB7846</p> |  <p>Pre-drilled Intermediate<br/>Stair Spacer Picket<br/>PB5847</p>  |  <p>Level Rail<br/>5' - PB7453<br/>6' - PB7457<br/>7' - PB7455<br/>8' - PB7458</p>               |  <p>Stair Rail<br/>6' - PB5486<br/>8' - PB5484</p>   |
|  <p>Stair Stainless<br/>Steel Fittings<br/>PB7820 (7 sets)<br/>(includes release key)</p>  |  <p>Level Stainless<br/>Steel Fittings<br/>36" - PB7815 (9 sets)<br/>(includes release key)</p>                                |  <p>Level Stainless<br/>Steel Fittings<br/>42" - PB7810 (11 sets)<br/>(includes release key)</p> |  <p>Stainless<br/>Steel<br/>Cable<br/>100' - PB7801<br/>500' - PB7805<br/>1/8", 19 strand,<br/>316 stainless steel</p> |
|  <p><b>NEW</b><br/>Level Bracket<br/>Package<br/>PB7477</p>                                |  <p>4' Rail Channel Cover (2pc)<br/>PB7806<br/>Used for level &amp; stairs.<br/>2 pkgs are required for<br/>sections 48"+)</p> |  <p>8' Drink Rail Adapter<br/>PB7444</p>   |  <p>Aluminum Base Cover<br/>For 2" Post - PB7744<br/>For 2 1/2" Post - PB7746</p>                                      |

**NOTE:** Check out our accessories on pages 10 and 22 for more products to complete your project. Contact your local building department prior to installation. Available in Textured Black (XB). All other standard colors would be a special order.

Picture Frame

The same rails and post design creates a consistent frame around your infill of choice (regular picket, wide picket, framed glass, cable).

Aluminum Posts are Pre-drilled with Pre-threaded Holes

Simply screw cable fittings into holes.

Swageless Cable Connection

Simply cut cable to length and insert into the fittings (release key included with fitting package).

Single Post

No need to double post at corners and stair transitions.

No Secondary Handrail Required

Creates a better looking project because VISTA stair railing meets the graspable and continuous requirement.

Ease of Installation

Factory attached brackets mean a quick and simple assembly.

Safety Assured

Tested in accordance with national building codes.

CABLE SYSTEMS ACCESSORIES

CABLE INFILL KITS



✔ **Picture Frame**

The same rails creates a consistent frame around your infill of choice (regular picket, wide picket, frame glass, cable).

✔ **Swageless Cable Connection**

Simply cut cable to length and insert into fittings (release key included with hardware).

✔ **Build to Suit Your Project**

Connect cable railing to your existing structural walls and posts with cable wall fittings and wall brackets.

|   |  |  |  |   |
|---|--|--|--|---|
| <p>Stainless Steel Wall Connector Fitting – Non-Tensioning CK102WCSSW</p> | <p>Stainless Steel Pivoting Cable Wall Fitting – Tensioning CK102WTSSW</p> | <p>Stainless Steel Pivoting Cable Wall Fitting – Non-Tensioning CK102SCSSW</p> | <p>Stainless Steel Pivoting Cable Wall Fitting – Tensioning CK102STSSW</p> | <p>Stainless Steel Cable<br/>100' - PB7801<br/>500' - PB7805<br/>1/8", 19 strand,<br/>316 stainless steel</p> |
| <p>Cable Cutters PB7802</p>   | <p>Cable Gate For 36" Height PB7808</p>                                    | <p>Cable Gate For 42" Height PB7809</p>  | <p>Stair Bracket Package PB5756</p>  | <p><b>NEW</b><br/>Level Bracket Package PB7477</p>  |
| <p>Stainless Steel Level Cable Fitting – Tensioner V5180M</p>             | <p>Level Cable Fitting – Non-tensioner V5181M</p>                          | <p>Stair/Pivoting Cable Fitting – Tensioner V5182M</p>                         | <p>Stainless Steel Stair/Pivoting Cable Fitting – Non-tensioner V5183M</p> | <p>Release Key V5184M</p>   |

✔ **All-in-One Package**

Includes all needed hardware for wood, composite, vinyl and metal posts.

✔ **“Swageless” System**

No special crimping tools required. Fittings designed for minimal visibility.

✔ **Stainless Steel Cables**

1/8" 19 strand, 316 stainless steel.

**Cable Infill Kits Include:**



|  |  |  |  |  |
|--|--|--|--|--|
| <p>5 ft wide Cable Infill Kit (one 5 ft long cable with fittings) CK10205SSW</p> | <p>10 ft wide Cable Infill Kit (one 10 ft long cable with fittings) CK10210SSW</p> | <p>15 ft wide Cable Infill Kit (one 15 ft long cable with fittings) CK10215SSW</p> | <p>20 ft wide Cable Infill Kit (one 20 ft long cable with fittings) CK10220SSW</p> | <p>50 ft wide Cable Infill Kit (one 50 ft long cable with fittings) CK10250SSW</p> |
|--|--|--|--|--|

- 1/8" diameter Stainless Steel Cable Wire (specified length)
- Pre-attached Threaded Stud
- Stainless Steel Washer (for wood and metal)
- Brass Locknut
- Pull Lock

|   |   |
|---|---|
| <p>Stainless Steel End Cap (10 end caps per bag) CK102ECSSW</p> | <p>Stainless Steel 3/4" Protector Tube (10 protectors per bag) CK102PTSSW</p> |
|---|---|

ALUMINUM PICKET

RAILING SYSTEMS




























## ALUMINUM PICKET RAILING SYSTEMS



Regular Picket

Wide Picket

-  **Picture Frame**  
 The same rails and post design creates a consistent frame around your infill of choice (regular picket, wide picket, framed glass, cable).
-  **Ease of Installation**  
 Factory attached brackets mean a quick and simple assembly.
-  **No Secondary Handrail Required**  
 Creates a better looking project because VISTA stair railing meets the graspable and continuous requirement.
-  **VISTA Planner Project Software**  
 Simplifies estimating and installation process.
-  **Safety Assured**  
 Tested in accordance with national building codes.


|   |  |  |  |
|---|--|--|--|
|  <p>2" End Post<br/>36" - PB5804<br/>42" - PB5468</p>  |  <p>2" 90° Corner Post<br/>36" - PB5805<br/>42" - PB5469</p>                    |  <p>2" 45° Corner Post<br/>36" - PB5809<br/>42" - PB5494</p>                    |  <p>2" Mid Post<br/>36" - PB5806<br/>42" - PB5470</p>                             |
|  <p>2 ½" Blank Post<br/>36" - PB7758<br/>42" - PB7759<br/>4" Blank Post<br/>42" - PB7761</p> |  <p>2 ½" Top Stair Post<br/>36" = PB5737<br/>42" = PB5733</p>                   |  <p>2 ½" Bottom Stair Post<br/>PB5735</p>                                       |  <p>2" Mid Stair Post<br/>(splice hardware included)<br/>PB5734</p>               |
|  <p>Level Rail<br/>5' - PB7453<br/>6' - PB7457<br/>7' - PB7455<br/>8' - PB7458</p>         |  <p>4" Regular Picket<br/>(5/8" square)<br/>36" - PB7750<br/>42" - PB7739</p> |  <p>6" Regular Picket<br/>(5/8" square)<br/>36" - PB6801<br/>42" - PB7461</p> |  <p>4" Wide Picket<br/>(1 ½" X 5/8")<br/>36" - PB7752<br/>42" - PB7730</p>      |
|  <p>4" Stair Pickets Regular<br/>PB5485</p>  |  <p>4" Stair Pickets Wide<br/>PB5731</p>                                      |  <p>Stair Rail<br/>6' - PB5486<br/>8' - PB5484</p>                            |  <p><b>NEW</b><br/>Level Bracket<br/>PB7477</p>                                 |
|  <p>Stair Bracket Package<br/>PB5756</p>   |  <p>8" Drink Rail Adapter<br/>PB7444</p>                                      |  <p>Universal Angle Bracket Package<br/>PB5569</p>                            |  <p>Aluminum Base Cover<br/>For 2" Post - PB7744<br/>For 2 ½" Post - PB7746</p> |

**Note:** Check out our accessories on page 22 for more products to complete your project. Contact your local building department prior to installation. Available in Textured Black (XB), Textured Grey (TG), Textured Bronze (YB) or Gloss White (WT).



ALUMINUM GLASS

RAILING SYSTEMS















## FRAMED GLASS





## RAILING SYSTEMS








Framed glass with drink rail adapter

|   |  |   |   |
|---|--|---|---|
|  <p>2" End Post<br/>36" - PB5804<br/>42" - PB5468<br/>60" - PB7706</p>                         |  <p>2" 90° Corner Post<br/>36" - PB5805<br/>42" - PB5469<br/>60" - PB7707</p>                 |  <p>2" 45° Corner Post<br/>36" - PB5809<br/>42" - PB5494</p>                       |  <p>2" Mid Post<br/>36" - PB5806<br/>42" - PB5470<br/>60" - PB7708</p>             |
|  <p>2 1/2" Blank Post<br/>36" - PB7758<br/>42" - PB7759<br/>4" Blank Post<br/>42" - PB7761</p> |  <p>Glazing Gasket<br/>PB7041</p>   |  <p>Level Rail<br/>5' - PB7453<br/>6' - PB7457<br/>7' - PB7455<br/>8' - PB7458</p> |  <p>8" Drink Rail Adapter<br/>PB7444</p>   |
|  <p><b>NEW</b><br/>Level Bracket Package<br/>PB7477</p>                                       |  <p>Glass Center Supports (with fasteners)<br/>PB1990 (2 pkg required for side of glass)</p> |  <p>Universal Angle Bracket Package<br/>PB5569</p>                                |  <p>Aluminum Base Cover<br/>For 2" Post - PB7744<br/>For 2 1/2" Post - PB7746</p> |

### Stock Sizes Available

| 1/4" (6MM) CLEAR TEMPERED GLASS PACKAGE<br>(glass panels are polished on all sides) For 36" Railing Height  |  |   | 1/4" (6MM) CLEAR TEMPERED GLASS PACKAGE<br>(glass panels are polished on all sides) For 42" Railing Height |                |  |
|---|--|---|--|----------------|--|
|  <p>TEMPERED GLASS</p> |  <p>PACKAGING</p> |  <p>TEMPERED GLASS</p> |  <p>PACKAGING</p>     |                |  |
| 24 X 30 PB1350  | 40 X 30 PB1358   | 24 X 36 PB1450  | 40 X 36 PB1458   |                |  |
| 26 X 30 PB1351  | 42 X 30 PB1359   | 26 X 36 PB1451  | 42 X 36 PB1459   |                |  |
| 28 X 30 PB1352  | 44 X 30 PB1360   | 28 X 36 PB1452  | 44 X 36 PB1460   | 56 X 36 PB1466 |  |
| 30 X 30 PB1353  | 46 X 30 PB1361   | 30 X 36 PB1453  | 46 X 36 PB1461   | 58 X 36 PB1467 |  |
| 32 X 30 PB1354  | 48 X 30 PB1362   | 32 X 36 PB1454  | 48 X 36 PB1462   | 60 X 36 PB1468 |  |
| 34 X 30 PB1355  | 50 X 30 PB1363   | 34 X 36 PB1455  | 50 X 36 PB1463   | 62 X 36 PB1469 |  |
| 36 X 30 PB1453  | 52 X 30 PB1364   | 36 X 36 PB1456  | 52 X 36 PB1464   | 64 X 36 PB1470 |  |
| 38 X 30 PB1357  | 54 X 30 PB1365   | 38 X 36 PB1457  | 54 X 36 PB1465   | 66 X 36 PB1471 |  |

**NOTE:** Check out our accessories on page 22 for more products to complete your project. Contact your local building department prior to installation. Available in Textured Black (XB), Textured Grey (TG), Textured Bronze (YB) or Gloss White (WT).





-  **Picture Frame**  
The same rails and post design creates a consistent frame around your infill of choice (regular picket, wide picket, framed glass, cable).
-  **Ease of Installation**  
Factory attached brackets mean a quick and simple assembly.
-  **Simple Assembly**  
Insert glass panel into top rail and drop into bottom rail to complete installation.
-  **VISTA Planner Project Software**  
Simplifies estimating and installation process.
-  **Safety Assured**  
Tested in accordance with national building codes.

FRAMELESS GLASS

RAILING SYSTEMS



- ✔ **Simplicity**  
Integrated channels built into post allows glass to slide down into place.
- ✔ **Ease of Installation**  
Set posts, slide glass into post channels and press caps into place.
- ✔ **Uninterrupted View**  
No top or bottom rails means an unobstructed view from your deck.
- ✔ **Flexibility & Versatility**  
Post design allows for a wider range of horizontal angles.
- ✔ **Safety Assured**  
Tested in accordance with national building codes.







**Installation Recommendations:**  
The posts and glass **must be** ordered separately for the frameless system. Ensure all posts are plumb and level. Maintain a maximum of 4 ft (from center to center of posts). Measure distance between posts and add 1 ¼" to total measurements. (Ex.: If inside post to inside post measurement equals 45"...45"+1 ¼"=46 ¼", you will need to order 46 ¼" glass). 3/8" glass is 40" high with horizontal polished edges for 42" system.

NOTE: Check out our accessories on page 22 for more products to complete your project. Contact your local building department prior to installation. Available in Textured Black (XB). All other standard colors would be a special order.

















## ALUMINUM RAILING ACCESSORIES



|  |   |
|--|---|
| Textured Black (XB)<br> | Textured Grey (TG)<br>   |
| Gloss White (WT)<br>    | Textured Bronze (YB)<br> |


These are the standard color options. Some products are special order in certain colors.

**AVAILABLE IN ALL 4 COLORS!**










|  |   |  |   |
|--|---|--|---|
|  <p>Regular Picket Gate<br/>For 36" Height PB6808<br/>For 42" Height PB7480</p>                   |  <p>Wide Picket Gate<br/>For 36" Height PB7751<br/>For 42" height PB7736</p> |  <p>8' Drink Rail Adapter<br/>PB7444</p>   |  <p>Support Leg (with fastener)<br/>PB7410</p>                                     |
|  <p>1 5/8" x 8" ADA Handrail (hardware included)<br/>PB7482</p> |  <p>ADA Handrail Accessories Elbow &amp; Return (custom order)</p>         |  <p>Cap Rail Plugs<br/>V5160</p>  |  <p>Handrail Bracket 2 1/2"<br/>V5407</p>  |
|  <p>Handrail Fastener Package<br/>PB7492</p>  |  <p>Touch Up Paint<br/>PB6762</p>  |  <p>Picket Spacers<br/>Level Regular – PB7406<br/>Level Wide – PB6776<br/>Stair Regular – PB7407<br/>Stair Wide – PB6777</p> |  <p>Wood Frame Mounting Bolts<br/>24 pcs = PB7710024<br/>250 pcs = PB7710250</p> |
| <p><b>NEW</b></p>  <p>Mid End Stair Fascia Mount<br/>PB5040</p>                                 | <p><b>NEW</b></p>  <p>90° Corner Fascia Mount<br/>PB5041</p>               | <p><b>NEW</b></p>  <p>Inside 135° Corner Fascia Mount<br/>PB5042</p>   | <p><b>NEW</b></p>  <p>Outside 135° Corner Fascia Mount<br/>PB5043</p>            |

NOTE: Contact your local building department prior to installation.

## PRIVACY FENCE



NOTE: Contact your local building department prior to installation. Available in Textured Black (XB). All other standard colors would be special order.

|   |  |   |   |  |
|---|--|---|---|--|
|  <p>Fence End Post<br/>PB7701</p>                                      |  <p>Fence Mid Post<br/>PB7702</p>   |  <p>90° Fence Corner Post<br/>PB7703</p>             |  <p>Fence Top Rail<br/>PB7451</p>                            |  <p>3' Wide Fence Gate (frame)<br/>PB7481</p> |
|  <p>2 1/2" Aluminum Post Cap<br/>V5600</p> |  <p>Rubber Blocks<br/>V1811B002</p> |  <p>Heavy Duty Magnetic Gate Latch<br/>V5916B000</p> |  <p>Heavy Duty Spring-loaded Hinges (pair)<br/>V5914B000</p> |  |

- All-in-One Post Kit**  
Includes gasket, spacer block, and sleeved rail to post connector. Install with your choice of in-fill material.
- Endless Design Options**  
Select your choice of 3/8" (gasket) or 7/8" (no gasket) thick infill.
- Ease of Installation**  
Set posts, trim infill and slide in.

# vista

style &  
simplicity



Phone: +1 800 667-8247

Email: [sales@vistarailings.com](mailto:sales@vistarailings.com)

[www.vistarailings.com](http://www.vistarailings.com)

Follow us on:

